# CARDEV®

## T700 Portable Tramp Oil Removal Unit

- Clean, tramp oil-free coolant
- Increased coolant life reduced coolant costs
- Reduced disposal costs
- Reduced machine downtime clean coolant whilst the machine is in operation
- Improved operator conditions reduced oil mist, reduced bacterial growth, coolant odour reduced
- Progressive cavity pumpset 110V & 230V (50/60Hz) options available











### **Results**

- Removes trampoil contamination
- Extends coolant life
- Reduces coolant costs reduced consumption and reduced disposal volumes
- Increased machine tool efficiency / productivity
- Reduces bacterial growth
- Improved operator conditions improved health and safety
- Minimal running costs
- One unit can service an entire workshop

### **Features**

- Stainless steel construction
- Portable
- Reusable bag filter
- Minimal servicing required no consumable parts
- Unattended operation
- Easy to use minimal setup and no "levelling" required
- Universal application works on any coolant sump

## **Coolant Samples**






Large bag filter





Weir transfer - No levels to set

Clean coolant returned to sump



Recommended Installation	Voltage	Current Draw	Coolant flow rate	Dimensions (mm)			Weight (kg)	Accessories
			(l/m)	Н	W	D		
Portable unit designed to be moved around the workshop on a rotational basis. Quick release / magnet mounted pick-up can be temporarily installed or additional pick-ups can be permanently fixed for ease of use.	110V	≤3.5 Amps	12 l/m	1306	614	797	105	Suction and return hoses. Drain hose. Magnet mounted floating pick-up assembly.
	230V	≤ 2.0 Amps						



ETL Fluid Experts Ltd

Environmental Technologies Group Grimbald Crag Road Knaresborough North Yorkshire HG5 8PY United Kingdom T +44 (0)1423 522911 F +44 (0)1423 530043 E sales@etlfe.com